
DORMA Product Handbook Dynamic Glass Components





Advise

We pride ourselves on having the in-depth knowledge you need. Our customers come back to us time and again because they trust the advice we give. Bellsure are already a trusted adviser and an established supplier to thousands of contractors.

Inform

Access our specialist technical skills and supply chain in a range or architectural hardware fields. We have specialists in doorset scheduling, automatic doors, architectural ironmongery, glass partitioning and shop facades, glass balustrades, street furniture, cycle storage and car parking solutions.

Design

We work closely with our customers to make sure that your design is the best that it can be - fantastic looks, compliance, functionality and space saving are all considerations that we discuss with you during the planning and design process. For architects and contractors, we supply free CAD drawings as part of our friendly, efficient service. We work closely with our customers to ensure that your design is the best that it can be. Glass cut outs are also available to download on our website, bellsure.co.uk



Our accreditations

Pre-qualified, quality assured, health and safety accredited for your peace of mind.

























We're very accommodating

When you've got a deadline to meet, we can deliver what you need, when you need it.

At Vista, we always maintain stock, so that your order will be with you when you need it. With our 30-minute despatch service, delivery is usually within 2 hours in Central London! We stock fittings to cater for a wide range of glass thicknesses and cut door rails to size at our Central London warehouse.



30-minute despatch Same day delivery into London





Browse through our range of DORMA products to find the perfect fit...

Pivot Patches

Coffin Boxes

Door Controls

Pivot Patches/ Connectors

Patches/ Connectors

Corner Locks

Centre Locks & Strikes

Corner & Centre

Lockers

Offset EA Patch

Fittings

Vista Case Study

Offset Top Centres

Door Rails

Studio Rondo Locks & Levers

Accessories/

Clamping Fittings

Accessories

Compact Sliding Door Systems

Compact Pivot

Doors

Sliding Systems







The **DORMA** Range

Our range of DORMA products provide a durable set of fittings to suit your glass project.

With everything from pivot patches, connectors, corner locks and door rails to studio rondo locks and levers. Send the Vista team your enquiry today.

12


Pivot Patches

Available in Satin/Polished Stainless Steel or Satin Anodised Aluminium finish To suit 10/12mm glass as standard 15, 19mm and 21.5mm fittings available

Bottom Patch

Ref: PT10

• With insert for DORMA floor spring spindle






Top Patch


Ref: PT22

• With insert for DORMA RTS transom closer



Top Patch Ref: PT20

• With plastic socket for top pivot






Overpanel Pivot Patch Fitting

Ref: PT30

• With pivot 15mm Ø, with M8 tapped hole at side





Pivot Patches


Available in Satin/Polished Stainless Steel or Satin Anodised Aluminium finish To suit 10/12mm glass as standard

15, 19mm and 21.5mm fittings available

Overpanel Blank Patch Fitting

Ref: PT30.1

With blank insert






Overpanel Stop Patch Fitting


Ref: PT30.2

• With stop insert




Wall Anchor Ref: PT33WA

• With thread M8 for overpanel patch PT 30



Fixing Plate Ref: PT34SFP

• For overpanel patch PT 30



Threaded Rod

Ref: PT35TR

• M8 with plug for overpanel patch PT 30



Coffin Boxes

To suit all DORMA Floorspring for raised floor installations Oversize coverplates to suit available






• For more information about the ranges visit us at **bellsure.co.uk**

Door Controls

Hold-open/non hold-open options Adjustable/fixed power options Oversized cover plates available






Pivot Patches/Connectors

Pivot Patches/Connectors

Available in Satin/Polished Stainless Steel or Satin Anodised Aluminium finish To suit 10/12mm glass as standard 15, 19mm and 21.5mm fittings available




Blank Patch for Overpanel & Sidelight Ref: PT40.1





Patch for Overpanel & Sidelight with Fin

Ref: PT41DRH - Right handed Ref: PT41DLH - Left handed





Pivot Patches/Connectors

Available in Satin/Polished Stainless Steel or Satin Anodised Aluminium finish To suit 10/12mm glass as standard 15, 19mm and 21.5mm fittings available



Connector Ref: PT60









Overpanel Connector Ref: PT70

• With pivot 15mm Ø, with M8 tapped hole at side



Overpanel Connector Ref: PT71

• With fin fitting






18


Patches/Connectors

Available in Satin/Polished Stainless Steel or Satin Anodised Aluminium finish To suit 10/12mm glass as standard 15, 19mm and 21.5mm fittings available



• For pinch-free doors with 65mm pivot point, consisting of 2 halves, prepared for Universal fittings or door rails (76.5mm or 100mm)

Please indicate: Panel height (max. 2500mm, higher dim. on request). Required preparation of the profile for top and bottom fittings






Corner Locks

Available in Satin/Polished Stainless Steel and Satin Anodised Aluminium 15mm and 19mm fittings available

Corner Lock Ref: US10


• Prepared for Europrofile cylinder single throw bolt projection 20mm



Single Overpanel Strike Box

Ref: GK30

• To suit US 10 corner lock



with Stop Ref: GK30.1


L/H, R/H




Double Overpanel Strike Box

Ref: GK20

• To suit US 10 corner locks, consisting of two GK 30 with threaded connecting bolt








Corner Overpanel Strike Box

Ref: GK40

• To suit US 10 corner lock







• For more information about the ranges visit us at bellsure.co.uk


Centre Locks & Strikes

Centre Locks & Strikes

Available in Satin/Polished Stainless Steel and Satin Anodised Aluminium

Strike Box

Ref: GK41DLH - Left handed Ref: GK41DRH - Right handed




£102.00

Strike Box

Ref: GK50


• To suit US 20 centre lock



£200.00

90° / 135° Strike Box


Ref: GK42DLH - Left handed Ref: GK42DRH - Right handed



Centre Lock

Ref: US20

• Prepared for Europrofile cylinder, single throw, bolt projection 20mm




Corner & Centre Locks

Available in Satin Anodised Aluminium

Corner Lock

Ref: 05.100

 For vertical or horizontal fixing, double throw, bolt projection 20mm, hardened oval bolt, prepared for Europrofile cylinder



57.00

Corner Lock Ref: 05.103

 For vertical fixing, double throw, bolt projection 20mm, hardened oval bolt, counterplate shortened to give 15mm free


61er PZ 30.5 3.5.10 20 4 3.5.5 3.5.10 20 4 3.5.5 3.5.10

glass edge, prepared for Europrofile cylinder

Slide Over Corner Lock

10mm glass Ref: 05.106 12mm glass Ref: 05.130


• For retro-fitting, double throw, bolt projection 20mm, Europrofile cylinder



Slide Over Strike Box

10mm glass Ref: 05.112 12mm glass Ref: 05.132

• For slide over corner lock for single door



Offset EA Patch Fittings

6

Offset EA Patch Fittings


Offset EA Patch Fittings

For offset hung doors in rebated frames

Bottom Patch -24mm Rebate Depth


Ref: 02.160LH Ref: 02.161RH

• To suit DORMA floor spring spindle



Top Patch -24mm Rebate Depth


Ref: 02.166LH Ref: 02.167RH



Bottom Patch


Ref: 02.106LH Ref: 02.107RH

• To suit DORMA floor spring spindle or round pivot



Top Patch

Ref: 02.118LH Ref: 02.119RH



Offset EA Patch Fittings

For offset hung doors in toughened glass assemblies

Top Patch - 24mm rebate


Ref: 02.206LH Ref: 02.207RH

• Complete with pivot for frame fixing

Top Patch - 40mm rebate

Ref: 02.208LH Ref: 02.209RH






Top Patch

Ref: 02.200LH Ref: 02.201RH

• Complete with pivot for sidelight







Top Patch

Ref: 02.204LH Ref: 02.205RH

• Complete with pivot for frame fixing









The space creates a unique environment where everybody can see each other and communicate...the design and fit-out is perfect...we couldn't be happier Georgina Molinaro, Subsea 7

The Solution

Our Vista team acted as an extension of Planet Partitioning, providing customer service and support in the procurement and delivery of items needed on this project.

A selection of Primeline offset fittings, drop seals, Dormakaba floor springs, bespoke pull handles and floor stops were selected for the project. Taking into account the premium finish required as an end result, products from our Primeline range were the obvious fit. Our durable and innovative range will stand the test of time for both aesthetic and functional purposes.

For any advice on entrance and shop fittings, glazed partition fittings and balustrade systems, please email vistateam@bellsure.co.uk

 Call our team on 01730 719 292 today for more information about our ranges.


Offset Top Centres

Note: If corner fittings/door rails are combined with frame top centres, please indicate rebate depth with order

Frame Top Centre Ref: 02.150


re

• With fixing block



Frame Top Centre Ref: 02.151


With angle bracket



Frame Top Centre

Ref: 02.152LH Ref: 02.153RH

• Only for steel frames, with special wedge screw fixing




36 FT 24 (max. 40) M8

Door Rails

100 or 76.5mm rail heights Available in Satin/Polished Stainless Steel, Mill or Anodised Aluminium finish Rails to suit 13.5mm, 15mm, 19mm glass available from stock


Door Rails/ Side Panel Rails

• 100mm high



Door Rails/ Side Panel Rails


• 76.5mm high



Aluminium Profile Brush Seal

Ref: 04.600


 To prevent draughts and energy loss connected with door rail at manufacturer



Rubber Sealing

Ref: 04.607 Ref: 04.608

• For door rails fix length



b

Door Rails

Note: if corner fittings/door rails are combined with frame top centres, please indicate rebate depth with order

Top Rail Non-Locking

100mm: Ref: 04102 (£240.00) 76.5mm: Ref: 04002 (£211.00)


• With insert to take15 mm Ø pivot pin



100mm: Ref: 04112 (£361.00) 76.5mm: Ref: 04012 (£352.00)

 Top locking lock, Europrofile cylinder, single throw with corrosion resistant bolt and hardened safety roll pin





Bottom Rail Non-Locking

100mm: Ref: 04101 (£240.00) 76.5mm: Ref: 04001 (£211.00)


• With Stainless Steel insert to suit DORMA floor spring spindle

Locking

100mm: Ref: 04111 (£361.00) 76.5mm: Ref: 04011 (£352.00)

 With floor locking lock, Europrofile cylinder, single throw with corrosion resistant bolt and hardened safety roll pin





£242.00


Top Rail (for RTS85 Closer) Non-Locking

Non-locking Ref: 04106 (£271.00) Non-locking Ref: 04006 (£242.00)

Locking

100mm: Locking Ref: 04116 (£491.00) 76.5mm: Locking Ref: 04016 (£384.00)

• With insert for DORMA RTS transom closer



Door Rails


Available in Satin/Polished Stainless Steel, Mill or Anodised Aluminium finish 100 or 76.5mm rail heights

Rails to suit 13.5mm, 15mm, 19mm glass available from stock

Side Panel Bottom Rail

100mm: Ref: 04301 (£235 per metre) 76.5mm: Ref: 04201 (£206 per metre)


• Up to approx. 6000mm long with rail filler insert 7mm



Side Panel Top Rail

100mm: Ref: 04302 (£235 per metre) 76.5mm: Ref: 04202 (£206 per metre)

• Up to approx. 6000mm long with rail filler insert 3mm




£276/m

Offset Hung Bottom Rail Non-Locking

100mm: Ref: LH 04.151/RH 04.153 (£387 per metre) 76.5mm: Ref: LH 04.051/RH 04.053 (£276 per metre)

• To suit DORMA floor spring spindle or round pivot




Locking

100mm: Ref: LH 04.151/RH 04.153 (£483 per metre) 76.5mm: Ref: LH04.051/RH04.053 (£452 per metre)

 With floor locking lock, single throw with corrosion resistant bolt and hardened safety roll pin.

Available for rebated and non-rebated frames, frame depths of 24 or 40mm. Please ask for details




Studio Rondo Locks & Levers

Studio Rondo Locks & Levers

Available in Simulated Satin/Polished Stainless Steel or Satin Anodised Aluminium finish Locks with follower


Latch Ref: 10.200

Non-locking



Locking Latch Ref: 10.202


• Prepared for Europrofile cylinder, nightlatch function



Set of Levers

Ref: 10.301

• Tubular, for follower




Studio Rondo Locks & Levers

Available in Simulated Satin/Polished Stainless Steel or Satin Anodised Aluminium finish Locks with follower

£109.00

Locking Latch t/s Levers on Rose


Ref: 10.212



Levers on Rose

Ref: 10.307


• Set of levers on rose, tubular, for follower



Strike Box


Ref: 10.220

• For pairs of doors



Latch t/s Levers on Rose
Ref: 10.210

Non-locking





Accessories/Clamping Fittings

Important information: for free hanging mounting of glass please use safety clamping fittings Torque for fixing screws 15 (M 6=Allan key size 5). 20kg load for each clamping fitting

Lock


Ref: 11.200LH Ref: 11.201RH

 Europrofile cylinder, nightlatch function



Strike Box Ref: 11.206LH Ref: 11.207RH


• For pairs of doors



Latch

Ref: 11.208LH Ref: 11.209RH


 Non-locking, for use with levers on rose



Lock

Ref: 11.260LH Ref: 11.261RH

· Prepared for Europrofile cylinder, for use with levers without rose



Latch

Ref: 11.264LH Ref: 11.265RH

· Non-locking, for use with levers without rose




• For more information about the ranges visit us at bellsure.co.uk

Set of Corner Hinges

Ref: 12.040LH Ref: 12.041RH

• 10mm glass thickness with free glass edge (for rebate) on top resp. underneath and at side door weight max. 80kg door width max. 1100mm




Accessories

Floor Pivot Bearing

Ref: 01.106


• Height adjustable by 5mm max. door weight 100kg



Lock Keeper Plate

Ref: 05190D


• Stainless Steel, two parts, adjustable ± 5mm



Floor Bearing

Ref: 04.602


• With DORMA profile spindle max. door weight 200kg



Pivot

Ref: PT25

• 15mm Ø with plug





6

Accessories


Floor Sockets

Aluminium: Ref: 05.193

• With spring and plastic stopper, dirt protection

Eccentric Stainless Steel: Ref: 05.194 (£17.00)


• With adjustable plastic insert



Frame Portion

Ref: PT21


• Top centre with removable pin 15mm Ø with cover plate



Pivot

3mm Ref: PT24

• 15mm Ø with fixing plate




Compact Sliding Door Systems


Manet Compact

The aesthetic elegance of the Manet Compact concept is also available in the form of standardised sets for simple, fast planning of the more popular system types with 8, 10 or 12mm toughened safety glass (TSG). Optional accessories enable the individual sets to be semicustomised.

The system components offer numerous adjustment possibilities in order to ensure problem-free installation of whichever door type. Wall abutment profiles may need to be provided (by others) for fixing overpanels and sidelights.










Compact Pivot Doors

Compact Pivot Doors

Shown with 10mm glass

Note: when used with 8mm and 12mm glass measurements change accordingly

Pivoting Doors Set 1




Pivoting Doors

Set 2








Construction 18 (2 sets)

Pivoting Doors









Construction 23 (2 sets)


Sliding Systems

Max. door weight: 120kg Track/pelmet profiles cut to length

Track Profile

Ref: 07.121

• Prepared for top or side fixing, fixed length



Ref: 07.122

Sidelight Profile

 Connectable to track, non prepared, stock length 6000mm



Cover Profile

Ref: 07.140

• For clip attachment with connecting web for view protection profile



End Cap

Ref: 07.129


• Track connected to wall track connected to ceiling left/right hand



Flush Pull

Ref: 07.200

- Aluminium to be glued onto the glass
- Available in Satin/Polished Stainless Steel or Satin Anodised Aluminium finish



Accessory Pack

Ref: 07.125

• Consisting of: 2 carriers with clamping patches (8 and 10mm glass thickness) and support screw.

2 end stops with safety catch, 1 floor guide



• For more information about the ranges visit us at **bellsure.co.uk**



Collect in 30 minutes

or get it delivered to Central London - usually in less than two hours!

Call us on **01730 719 292** or e-mail your order to sales@bellsure.co.uk

